This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Original) A catalyst containing at least one group VIII element and at least molybdenum and/or tungsten, said elements being present at least in part in the catalyst in the dry state in the form of at least one heteropolyanion with structural formula M_xAB₆O₂₄H₆C_(3-2x). tH_2O (I); $M_xAB_6O_{24}H_6C_{(4-2x)}$, tH_2O (I'); $M_xA_2B_{10}O_{38}H_4C_{(6-2x)}$, tH_2O (I''); $M_xA_2B_{10}O_{38}H_4C_{(8-2x)}$, tH_2O (I""); or $M_xA_2B_{10}O_{38}H_4C_{(7-2x)}$, tH_2O (I""); in which M is cobalt and/or nickel and/or iron and/or copper and/or zinc, A is one element from group VIII of the periodic table for formulae I and I' or 1 or 2 elements from group VIII of the periodic table for formulae I", I" and I", B is molybdenum and/or tungsten and C is an H⁺ ion and/or a (NR₁R₂R₃R₄)⁺ type ammonium ion, in which R₁, R₂, R₃ and R₄, which may be identical or different, correspond either to a hydrogen atom or to an alkyl group, and/or caesium and/or potassium and/or sodium, t is a number between 0 and 15 and x takes a value in the range 0 to 3/2 in (I), a value in the range 0 to 2 in (I'), a value in the range 0 to 3 in (I''), a value in the range 0 to 4 in (I''') and a value in the range 0 to 7/2 in (I'") and in which the number of bonds connecting the group VIII element or elements with the molybdenum and/or tungsten with a length of 3.6 angstroms or less is strictly greater than 2.
- (Original) A catalyst according to claim 1, in which more than 2 bonds connecting the group VIII element or elements with the molybdenum and/or tungsten have a length of 3.5 angstroms or less in the catalyst in the dry state.
- 3. (Currently Amended) A catalyst according to claim 1 or claim 2, in which element A is selected from the group constituted by nickel, cobalt and iron.

2 PET-2095

- 4. (Currently Amended) A catalyst according to one of claims claim 1 to 3 comprising, in the dry state, 0.01% to 100% by weight with respect to the total catalyst weight of at least one heteropolyanion with a structural formula selected from the group constituted by formulae I, I', I", I" and I".
- 5. (Currently Amended) A catalyst according to one of claims claim 1 to 4, comprising at least one porous mineral matrix.
- 6. (Original) A catalyst according to claim 5, comprising a zeolitic molecular sieve.
- 7. (Currently Amended) A catalyst according to claim 5 or claim 6 comprising, in the dry state, as a % by weight with respect to the total catalyst weight, 1% to 99.9% of at least one porous mineral matrix, 0.1% to 99% by weight of at least one heteropolyanion having a structural formula selected from the group constituted by formulae I, I', I", I" and I" and 0 to 80% by weight of at least one zeolitic molecular sieve.
- 8. (Currently Amended) A catalyst according to one of claims claim 1 to 7, in which the heteropolyanion has a structural formula selected from the group constituted by Co₂Mo₁₀O₃₈H₄Co₃, CoMo₆O₂₄H₆Ni_{3/2}, CoMo₆O₂₄H₆Co₂, Co₂Mo₁₀O₃₈H₄Ni₃, Ni₂Mo₁₀O₃₈H₄Co₄, NiMo₆O₂₄H₆Co₂, CoMo₆O₂₄H₆Ni₂, CoMo₆O₂₄H₆Co_{3/2}, NiMo₆O₂₄H₆Ni₂.
- 9. (Currently Amended) A catalyst according to one of claims 1 to 8, which has undergone a sulphurization treatment.
- 10. (Currently Amended) Use of a catalyst according to one-of claims claim 1 to 9 in processes for hydrorefining and/or hydroconverting hydrocarbon feeds.

- 11. (Original) Use according to claim 10 in hydrogenation, hydrodenitrogenation, hydrodeoxygenation, hydrodearomatization, hydrodesulphurization, hydrodemetallization, hydroisomerization, hydrodealkylation or dehydrogenation reactions.
- 12. (Currently Amended) Use of a catalyst according to one of claims claim 1 to 9 in hydrocracking hydrocarbon feeds.
- 13. (Original) Use according to one of elaims claim 10 to 12, in which said hydrocarbon feeds contain at least one heteroatom.